

1. R. Koga, Y. Miyoshi, Y. Sato, M. Mita, R. Konno, W. Lindner, and K. Hamase, Enantioselective determination of citrulline and ornithine in the urine of D-amino acid oxidase deficient mice using a two-dimensional high-performance liquid chromatographic system, **Journal of Chromatography A**, (2016), 1467, 312-317, DOI:10.1016/j.chroma.2016.07.053
2. J. Sasabe, Y. Miyoshi, S. Rakoff-Nahoum, T. Zhang, M. Mita, B. M. Davis, K. Hamase, and M.K. Waldor, Interplay between microbial D-amino acids and host D-amino acid oxidase modifies murine mucosal defence and gut microbiota, **Nature Microbiology**, DOI: 10.1038/nmicrobiol.2016.125
3. T. Kimura, K. Hamase, Y. Miyoshi, R. Yamamoto, K. Yasuda, M. Mita, H. Rakugi, T. Hayashi and Y. Isaka, Chiral amino acid metabolomics for novel biomarker screening in the prognosis of chronic kidney disease, **Scientific Reports**, (2016), 6, Article number:26137. DOI:10.1038/srep26137
4. R. Koga, Y. Miyoshi, Y. Sato, M. Mita, R. Konno, W. Lindner, and K. Hamase, Enantioselective Determination of Phenylalanine, Tyrosine and 3,4-Dihydroxyphenylalanine in the Urine of D-Amino Acid Oxidase Deficient Mice Using Two-Dimensional High-Performance Liquid Chromatography, **Chromatography**, (2016), 37, 15-22. DOI:10.15583/jpchrom.2015.040
5. S. Liu, T. Oyama, Y. Miyoshi, S. Sheu, M. Mita, T. Ide, W. Lindner, K. Hamase, and J. Lee, Establishment of a two-dimensional chiral HPLC system for the simultaneous determination of lactate and 3-hydroxybutyrate enantiomers in human clinical samples, **Journal of Pharmaceutical and Biomedical Analysis**, (2015), 116, 80-85. DOI:10.1016/j.jpba.2015.05.036.
6. T. Oyama, E. Negishi, H. Onigahara, N. Kusano, Y. Miyoshi, M. Mita, M. Nakazono, S. Ohtsuki, A. Ojida, W. Lindner, and K. Hamase, Design and synthesis of a novel pre-column derivatization reagent with a 6-methoxy-4-quinolone moiety for fluorescence and tandem mass spectrometric detection and its application to chiral amino acid analysis, **Journal of Pharmaceutical and Biomedical Analysis**, (2015), 116, 71-79. DOI:10.1016/j.jpba.2015.05.039
7. H. Han, Y. Miyoshi, R. Koga, M. Mita, R. Konno, and K. Hamase, Changes in D-aspartic acid and D-glutamic acid levels in the tissues and physiological fluids of mice with various D-aspartate oxidase activities, **Journal of Pharmaceutical and Biomedical Analysis**, (2015), 116, 47-52. DOI:10.1016/j.jpba.2015.05.013
8. T. Oyama, R. Nagai, M. Fujimoto, R. Konishi, M. Mita, K. Uezono, K. Zaitso, and K. Hamase, Development of a fully-automated on-line oxidation column-switching HPLC system for the determination of endogenous melatonin in human clinical samples, **Analytical Sciences**, (2015), 31(11), 1129-1135. DOI:10.2116/analsci.31.1129.
9. S. Karakawa, K. Shimbo, N. Yamada, T. Mizukoshi, H. Miyano, M. Mita, W. Lindner, and K. Hamase, Simultaneous analysis of D-alanine, D-aspartic acid, and D-serine using chiral high-performance liquid chromatography-tandem mass spectrometry and its application to the rat plasma and tissues, **Journal of Pharmaceutical and Biomedical Analysis**, (2015), 115, 123-129. DOI:10.1016/j.jpba.2015.05.024
10. S. Ishigo, E. Negishi, Y. Miyoshi, H. Onigahara, M. Mita, T. Miyamoto, H. Masaki, H. Homma, T. Ueda, and K. Hamase, Establishment of a two-dimensional HPLC-MS/MS method combined with DCI/D<sub>2</sub>O hydrolysis for the determination of trace amounts of D-amino acid residues in proteins, **Chromatography**, (2015), 36, 45-50. DOI:10.15583/jpchrom.2015.017
11. M. Suzuki, J. Sasabe, Y. Miyoshi, K. Kuwasako, Y. Muto, K. Hamase, M. Matsuoka, N. Imanishi and S. Aiso, Glycolytic flux controls D-serine synthesis through glyceraldehyde-3-phosphate dehydrogenase in astrocytes, **Proceedings of the National Academy of Sciences of the United States of America**, (2015), 112, E2217-2224. DOI:10.1073/pnas.1416117112
12. P. Wongthai, K. Hagiwara, Y. Miyoshi, P. Wiriyasermkul, L. Wei, R. Ohgaki, I. Kato, K. Hamase, S. Nagamori, and Y. Kanai, Boronophenylalanine, a boron delivery agent for boron neutron capture therapy, is transported by ATB<sup>0+</sup>, LAT1 and LAT2, **Cancer Science**, (2015), 106, 279-286. DOI:10.1111/cas.12602
13. H. Hamamoto, M. Urai, K. Ishii, J. Yasukawa, A. Paudel, M. Murai, T. Kaji, T. Kuranaga, K. Hamase, T. Katsu, J. Su, T. Adachi, R. Uchida, H. Tomoda, M. Yamada, M. Souma, H. Kurihara, M. Inoue, and K. Sekimizu, Lysocin E is a new antibiotic that targets menaquinone in the bacterial membrane, **Nature Chemical Biology**, (2015), 11(2), 127-133. DOI:10.1038/nchembio.1710

14. 鬼ヶ原弘久, 三次百合香, 三田真史, 浜瀬健司, 微量アミノ酸光学異性体の二次元HPLC-MS/MS分析を目指した各種パークル型キラル固定相の分離特性解析, *九州大学中央分析センター報告*, (2015), 32, 24-36
15. T. Abe, M. Suzuki, J. Sasabe, S. Takahashi, M. Unekawa, K. Mashima, T. Iizumi, K. Hamase, R. Konno, S. Aiso, and N. Suzuki,  
Cellular origin and regulation of D- and L-serine in in vitro and in vivo models of cerebral ischemia,  
*Journal of Cerebral Blood Flow and Metabolism*, (2014), 34, 1928-35. DOI:10.1038/jcbfm.2014.164
16. K. Hamase, Y. Nakauchi, Y. Miyoshi, R. Koga, N. Kusano, H. Onigahara, H. Naraoka, H. Mita, Y. Kadota, Y. Nishio, M. Mita, and W. Lindner,  
Enantioselective Determination of Extraterrestrial Amino Acids Using a Two-Dimensional Chiral High-Performance Liquid Chromatographic System,  
*Chromatography*, (2014), 35, 103-110 DOI:10.15583/jpchrom.2014.014
17. R. Inoue, Y. Yoshihisa, Y. Tojo, C. Okamura, Y. Yoshida, J. Kishimoto, X. Luan, M. Watanabe, M. Mizuguchi, Y. Nabeshima, K. Hamase, K. Matsunaga, T. Shimizu and H. Mori,  
Localization of Serine Racemase and Its Role in the Skin,  
*Journal of Investigate Dermatology*, (2014), 134, 1618–1626; DOI:10.1038/jid.2014.22
18. Y. Miyoshi, T. Oyama, Y. Itoh, K. Hamase, Enantioselective Two-Dimensional High-Performance Liquid Chromatographic Determination of Amino Acids; Analysis and Physiological Significance of D-Amino Acids in Mammals,  
*Chromatography*, (2014), 35, 49-57. DOI:10.15583/jpchrom.2014.005
19. Y. Miyoshi, M. Nagano, S. Ishigo, Y. Ito, K. Hashiguchi, N. Hishida, M. Mita, W. Lindner, and K. Hamase,  
Chiral amino acid analysis of Japanese traditional Kurozu and the developmental changes during earthenware jar fermentation processes,  
*Journal of Chromatography B*, (2014), 966, 187-192. DOI:10.1016/j.jchromb.2014.01.034
20. J. Sasabe, M. Suzuki, Y. Miyoshi, Y. Tojo, C. Okamura, S. Ito, R. Konno, M. Mita, K. Hamase and S. Aiso,  
Ischemic Acute Kidney Injury Perturbs Homeostasis of Serine Enantiomers in the Body Fluid in Mice: Early Detection of Renal Dysfunction Using the Ratio of Serine Enantiomers,  
*PLoS ONE*, (2014). 9(1):e86504. DOI:10.1371/journal.pone.0086504
21. S. Karakawa, Y. Miyoshi, R. Konno, S. Koyanagi, M. Mita, S. Ohdo and K. Hamase,  
Two-dimensional high-performance liquid chromatographic determination of day-night variation of D-alanine in mammals and factors controlling the circadian changes,  
*Analytical and Bioanalytical Chemistry*, (2013), 405(25), 8083-8091. DOI:10.1007/s00216-013-7071-2
22. 三次百合香, 東條洋介, 韓海, 三田真史, 浜瀬健司, 哺乳類におけるキラルアミノ酸メタボロミクスを可能とする二次元マイクロHPLC一斉分析法の開発, *分析化学*, (2012), 61, 489-499.
23. J. Sasabe, Y. Miyoshi, M. Suzuki, M. Mita, R. Konno, M. Matsuoka, K. Hamase and S. Aiso, D-Amino acid oxidase controls motoneuron degeneration through D-serine, *Proc Natl Acad Sci USA*, (2012), 109, 627-632.  
DOI:10.1073/pnas.1114639109
24. H. Naraoka, H. Mita, K. Hamase, M. Mita, H. Yabuta, K. Saito, K. Fukushima, F. Kitajima, S. A. Sandford, T. Nakamura, T. Noguchi, R. Okazaki, K. Nagao, M. Ebihara, H. Yurimoto, A. Tsuchiyama, M. Abe, K. Shirai, M. Ueno, T. Yada, Y. Ishibashi, T. Okada, A. Fujimura, T. Mukai, M. Yoshikawa and J. Kawaguchi,  
Preliminary organic compound analysis of microparticles returned from Asteroid 25143 Itokawa by the Hayabusa mission,  
*Geochemical Journal*, 46, 61-72 (2012). DOI:10.2343/geochemj.1.0134
25. R. Koga, Y. Miyoshi, E. Negishi, T. Kaneko, M. Mita, W. Lindner and K. Hamase,  
Enantioselective two-dimensional high-performance liquid chromatographic determination of N-methyl-D-aspartic acid and its analogues in mammals and bivalves,  
*Journal of Chromatography A*, (2012), 1269, 255-261. DOI:10.1016/j.chroma.2012.08.075
26. Y. Miyoshi, R. Konno, J. Sasabe, K. Ueno, Y. Tojo, M. Mita, S. Aiso and K. Hamase,  
Alteration of intrinsic amounts of D-serine in the mice lacking serine racemase and D-amino acid oxidase,  
*Amino Acids*, (2012), 43, 1919-1931. DOI:10.1007/s00726-012-1398-4
27. W. Kakegawa, Y. Miyoshi, K. Hamase, S. Matsuda, K. Matsuda, K. Kohda, K. Emi, J. Motohashi, R. Konno, K. Zaitzu, and M. Yuzaki,  
D-Serine regulates cerebellar LTD and motor coordination through the  $\delta 2$  glutamate receptor,  
*Nature Neurosci*, (2011), 14, 603-611. DOI:10.1038/nn.2791

28. Y. Miyoshi, K. Hamase, T. Okamura, R. Konno, N. Kasai, Y. Tojo and K. Zaitso, Simultaneous two-dimensional HPLC determination of free D-serine and D-alanine in the brain and periphery of mutant rats lacking D-amino-acid oxidase, **Journal of Chromatography B**, (2011), 879, 3184-3189. DOI:10.1016/j.jchromb.2010.08.024
29. H. Han, Y. Miyoshi, K. Ueno, C. Okamura, Y. Tojo, M. Mita, W. Lindner, K. Zaitso and K. Hamase, Simultaneous determination of D-aspartic acid and D-glutamic acid in rat tissues and physiological fluids using a multi-loop two-dimensional HPLC procedure, **Journal of Chromatography B**, (2011), 879, 3196-3202. DOI:10.1016/j.jchromb.2011.01.023
30. H. Han, Y. Miyoshi, T. Oyama, R. Konishi, M. Mita and K. Hamase, Enantioselective micro-2D-HPLC determination of aspartic acid in the pineal glands of rodents with various melatonin contents, **Journal of Separation Science**, (2011), 34, 2847-2853. DOI:10.1002/jssc.201100609
31. K. Hamase, Y. Miyoshi, K. Ueno, H. Han, J. Hirano, A. Morikawa, M. Mita, T. Keneko, W. Lindner and K. Zaitso, Simultaneous determination of hydrophilic amino acid enantiomers in mammalian tissues and physiological fluids applying a fully automated micro-two-dimensional high-performance liquid chromatographic concept, **Journal of Chromatography A**, (2010), 1217, 1056-1062. DOI:10.1016/j.chroma.2009.09.002
32. Y. Miyoshi, K. Hamase, Y. Tojo, M. Mita, R. Konno and K. Zaitso, Determination of D-serine and D-alanine in the tissues and physiological fluids of mice with various D-amino-acid oxidase activities using two-dimensional high-performance liquid chromatography with fluorescence detection, **Journal of Chromatography A**, (2009), 877, 2506-2512. DOI:10.1016/j.jchromb.2009.06.028
33. S. Etoh, K. Hamase, A. Morikawa, T. Ohgusu and K. Zaitso, Enantioselective visualization of D-alanine in rat anterior pituitary gland: localization to ACTH-secreting cells, **Analytical and Bioanalytical Chemistry**, (2009), 393, 217-223. DOI:10.1007/s00216-008-2401-5
34. Y. Tojo, K. Hamase, R. Konno, S. Koyanagi, S. Ohdo and K. Zaitso, Simple and rapid genotyping of D-amino acid oxidase gene recognizing a crucial variant in the ddY strain using microchip electrophoresis, **Journal of Separation Science**, (2009), 32, 430-436. DOI:10.1002/jssc.200800587
35. A. Morikawa, K. Hamase, Y. Miyoshi, S. Koyanagi, S. Ohdo and K. Zaitso, Circadian changes of D-alanine and related compounds in rats and the effect of restricted feeding on their amounts, **Journal of Chromatography B**, (2008), 875, 168-173. DOI:10.1016/j.jchromb.2008.04.004